


TECNA[®]

Via Grieco 25/27 - 40024 Castel S. Pietro Terme - (BO) - ITALY
Pho. +39.051.6954400 - Tel. 051.6954410 - Fax +39.051.6954490
<http://www.tecna.net> E-mail: sales@tecna.net

DC
THREE-PHASE



TRIFASE DC - 400 kVA - 3388 daN - 150 kA

APPLICAZIONI SPECIALI • SPECIAL APPLICATIONS


TRIFASE CORRENTE CONTINUA - 50 Hz • THREEPHAS DIRECT CORRENT - 50 Hz

TECNA[®]



TECNA[®]





TRIFASE DC - 400 kVA - 3388 daN - 150 kA




Technical drawing of a machine, showing three views: front, side, and top.

The front view (top left) shows a large machine with a control panel labeled "TE 183". Above the panel is a pressure gauge assembly with four gauges. To the right of the panel is a large cylindrical component. The machine is mounted on a base with four legs. Dimensions are indicated: 1000 (height), 1500 (width), 1000 (depth), 1000 (height of base), 1000 (width of base), 1000 (depth of base), 1000 (height of base), 1000 (width of base), 1000 (depth of base).

The side view (top right) shows the machine's profile. Dimensions are indicated: 1000 (height), 1500 (width), 1000 (depth), 1000 (height of base), 1000 (width of base), 1000 (depth of base), 1000 (height of base), 1000 (width of base), 1000 (depth of base).

The top view (bottom left) shows the machine's footprint. Dimensions are indicated: 1000 (width), 1500 (depth), 1000 (width of base), 1000 (depth of base), 1000 (width of base), 1000 (depth of base), 1000 (width of base), 1000 (depth of base), 1000 (width of base), 1000 (depth of base).

TECNA[®]




TECNA[®]

DC
THREE-PHASE




TRIFASE DC - 360 kVA - 5500 daN - 130 kA

TECNA[®]



TECNA[®]



TECNA[®]

Via Grieco 25/27 - 40024 Castel S. Pietro Terme - (BO) - ITALY
Pho. +39.051.6954400 - Tel. 051.6954410 - Fax +39.051.6954490
<http://www.tecna.net> E-mail: sales@tecna.net